

DAFTAR PUSTAKA

- Betteng, R., Pangemanan, D., & Mayulu, N. (2014). Analisis Faktor Resiko Penyebab Terjadinya Daibetes Mellitus Tipe 2 pada Wanita Usia Produktif di Puskesmas Wawonasa. *Jurnal e-Biomedik (eBM)* , vol. 2, No. 2.
- Buysse DJ, R. C. (1989). The Pittsburgh Sleep Quality Index: a new instrument for Psychiatric practice and research. . *Psychiatry Res* , 28: 193-213.
- Carskadon, M., & Dement, W. (2011). Monitoring and Staging Human Sleep. In T. R. M.H. Kryger, & W. Dement, *Principles and practice of sleep medicine, 5th edition* (pp. 16-26). St. Louis: Elsevier Saunders.
- D'Adamo, E., & Caprio, S. (2011). Type 2 Diabetes in Youth: Epidemiology and Pathophysiology. *Diabetes Care* , 34, S161-S165.
- Dahlan, M. S. (2012). *STATISTIK UNTUK KEDOKTERAN DAN KESEHATAN Deskriptif, Bivariat, dan Multivariat Dilengkapi Aplikasi dengan menggunakan SPSS, Ed: 5*. Jakarta: Salemba Medika.
- Danim, S. (2003). *RISET KEPERAWATAN Sejarah dan Metodologi*. Jakarta: EGC.
- Hirshkowitz, M. (2015). *National Sleep Foundation's Sleep Time Duration Recomendations: Methodology and results summary, Sleep health*. Retrieved Maret 18, 2015, from National Sleep Foundation: <http://dx.doi.org/10.1016/j.sleh.2014.12.010>
- IDF. (2010). *A Guide to National Diabetes Programmes*. Belgium: International Diabetes Federation.
- IDF. (2013). *Diabetes: Facts and Figures*. Dipetik November 17, 2014, dari International Diabetes Federation: <http://www.idf.org/worlddiabetesday/toolkit/gp/facts-figures>
- Ip, M., & Mokhlesi, B. (2009). Sleep and Glucose Intolerance/Diabetes Mellitus. *Sleep Med Clin* , 2(1): 19-29.
- Kemenkes RI. (2013). *Topik Utama Gambaran Kesehatan Lanjut Usia di Indonesia*. Jakarta: Kementerian Kesehatan RI.

- Knutson, K. L., & Cauter, E. V. (2008). Associations between Sleep Loss and Increased Risk of Obesity and Diabetes. *Annals* , 287-304.
- Knutson, K. L., Ryden, A. M., Mander, B. A., & Cauter, E. V. (2006). Role of Sleep Duration and Quality in The Risk and Severity of Type 2 Diabetes Mellitus. *Arch Intern Med* , 166:1768-1774.
- Maurovich-Horvat, E., Pollmacher, T., & Sonka, K. (2008). The effects of sleep deprivation on metabolic, endocrine and immune paramaters. *Prague Medical Report* , 109: 275-85.
- Notoatmodjo, S. (2012). *Metodologi Penelitian Kesehatan*, Ed. Rev. Jakarta: Rineka Cipta.
- Potter, P. A., & Perry, A. G. (2006). *Buku Ajar Fundamental Keperawatan Konsep, Proses, dan Praktik*, Ed:4, Vol: 2. Jakarta : EGC.
- Price, S. A., & Wilson, L. M. (2006). *PATOFSIOLOGI Konsep Klinis dan Proses-Proses Penyakit*, Ed: 6, Vol: 2. Jakarta: EGC.
- Riskesdas. (2013). *Riset Kesehatan Dasar*. Jakarta: Kemenkes RI.
- SIGN. (2010). *Management of Diabetes A National Clinical Guideline*.
- Smeltzer, S. C., & Bare, B. G. (2002). *Buku Ajar Keperawatan Medikal Bedah Brunner & Suddarth*, Ed:8, Vol:2. Jakarta: EGC.
- Smyth, C. (2007). The Pittsburgh Sleep Quality Index (PSQI). *try this: Best Practices in Nursing Care to Older Adults* , pp. Issue Number 6.1, Revised.
- Soegondo, S. (2008). Prinsip Pengobatan Diabetes, Insulin dan Obat Hipoglikemik. In U. Indonesia, *Penatalaksana Diabetes Mellitus di Indonesia* (pp. 111-129). Jakarta: Universitas Indonesia.
- Sugiyono. (2013). *Metode Penelitian Kuantitatif Kualitatif dan R & D*. Bandung: ALFABETA.
- Trento, M., Broglio, F., Riganti, F., Basile, M., Borgo, E., Kucich, C., et al. (2008). Sleep abnormalities in type 2 diabetes may be associated with glycemic control. *Acta Diabetol* , 45:225-229.
- Trisnawati, S. K., & Setyorogo, S. (2013). Faktor Risiko Kejadian Diabetes Mellitus Tipe II Di Puskesmas Kecamatan Cengkareng Jakarta Barat Tahun 2012. *Jurnal Ilmiah Kesehatan* , 5 (1).

- Tuomilehto, H., Peltonen, M., Partinen, M., Lavigne, G., Eriksson, J. G., Cristian Herder, S. A., et al. (2009). Sleep Duration, Lifestyle Intervention, and Incidence of Type 2 Diabetes In Impaired Glukose Tolerance. *Diabetes Care*; 32,11 ProQuest , 1965-1971.
- Van Cauter, E., Polonsky, K., & Scheen, A. (rev 1997). Role of circadian rhythmicity and sleep in human glucose regulation. *Endocr* , 18:716-38. [PubMed:9331550].
- WHO. (2014, November). *Diabetes*. Dipetik November 12, 2014, dari World Health Organization: <http://www.who.int/mediacentre/factsheets/fs312/en/>
- Yaggi, H. K., Araujo, A. B., & McKinlay, J. B. (2006). Sleep Duration as a Risk Factor for the Development of Type 2 Diabetes. *Diabetes Care* , 29:657-661.
- Zou, H., Zumin, S. B., Yue, D., Gang, H., Gaolin, W., & Akhtar, H. (2012). Interaction Between Physical Activity and Sleep Duration in Relation to Insulin Resistance among non-diabetic Chinese Adults. *BMC Public Health* , 12:247.